



DOCKET NUMBER: 2839-0065-3 PCT/tk

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:
Yusuke SHIOTA, et al.

: GROUP: 1723

SERIAL NUMBER: 09/147,428

: ATTENTION:
Application Division
Customer Corrections

FILED: December 22, 1998

FOR: APPARATUS FOR TREATING WASTE WATER

REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT

Assistant Commissioner for Patents
Washington, D.C. 20231

MAY 17 1999
GROUP 1700

Sir:

The Patent Office is requested to provide a corrected Official Filing Receipt for the attached. If you have any questions, please do not hesitate to contact us.

No fees are required. However, in the event that a fee is required, please charge the appropriate amount to our Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

C. Irvin McClelland
Attorney of Record
Registration Number 21,124

Robert F. Gnuse
Registration Number 27,295

1755 S. Jefferson Davis Highway
Arlington, Virginia 22202
(703) 413-3000
Fax: 413-2220

FILING RECEIPT



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER
OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

W
3/9/98

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTORNEY DOCKET NO.	DRWGS	TOT CL	IND CL
09/147,428	12/22/98	1723	\$1,136.00	2839-0065-38	12	20	3

OBLON SPIVAK MCCLELLAND MAIER & NEUSTADT
1755 JEFFERSON DAVIS HIGHWAY
FOURTH FLOOR
ARLINGTON VA 22202

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Application Processing Division's Customer Correction Branch within 10 days of receipt. Please provide a copy of the Filing Receipt with the changes noted thereon.

Applicant(s)

YUSUKE SHIOTA, HIMEJI-SHI, JAPAN; TOHRU ISHII,
HYOGO-KEN, JAPAN; KIICHIRO MITSUI, AKASHI-SHI, JAPAN.

CONTINUING DATA AS CLAIMED BY APPLICANT-
THIS APPLN IS A 371 OF PCT/JP98/01834 04/21/98

FOREIGN APPLICATIONS-	JAPAN	9/103758	04/20/97
	JAPAN	9/164550	06/20/97
	JAPAN	9/258016	09/24/97

IF REQUIRED, FOREIGN FILING LICENSE GRANTED 03/12/99

TITLE

APPARATUS FOR TREATING WASTE WATER

PRELIMINARY CLASS: 210

PLEASE NOTE THAT THE FOREIGN APPLICATION INFORMATION IS INCORRECT.
IT SHOULD READ AS FOLLOWS:

JAPAN	9-103758	04/22/97
JAPAN	9-164550	06/20/97
JAPAN	9-258016	09/24/97

RECEIVED
MAR 18 1999

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

DATA ENTRY BY: BARRETO, NGA P.

TEAM: 11 DATE: 03/15/99